

EMILIA STRONG SYKES

13TH DISTRICT, OHIO

WASHINGTON OFFICE:  
1217 LONGWORTH HOUSE OFFICE BUILDING  
WASHINGTON, DC 20515  
(202) 225-6265

DISTRICT OFFICE:  
121 SOUTH MAIN STREET  
SUITE 107  
AKRON, OH 44308  
(330) 400-5350

<https://sykes.house.gov>

Congress of the United States  
House of Representatives  
Washington, DC 20515

COMMITTEE ON TRANSPORTATION  
AND INFRASTRUCTURE

WATER RESOURCES AND ENVIRONMENT  
(VICE RANKING MEMBER)  
HIGHWAYS AND TRANSIT

COMMITTEE ON SCIENCE, SPACE,  
AND TECHNOLOGY  
RESEARCH AND TECHNOLOGY

March 24, 2023

The Honorable Kay Granger  
Chair, Committee on Appropriations  
U.S. House of Representatives  
Washington, DC 20515

The Honorable Rosa DeLauro  
Ranking Member, Committee on Appropriations  
U.S. House of Representatives  
Washington, DC 20515


Dear Chairwoman Granger and Ranking Member DeLauro:

I am requesting funding for the "West High Pressure District Elevated Water Storage Tank Project" in Fiscal Year 2024. The entity to receive funding for this project is the City of Canal Fulton, OH, whose offices are located at 155 E. Market St. Canal Fulton, OH 44614. The location of this project is West Cherry Street, Canal Fulton, OH 44614. The City of Canal Fulton would use this funding to construct a new water tower and connect that tower to existing water lines, and is a good use of taxpayer funds as it would provide clean drinking water to approximately 30 existing homes that currently cannot tap into their current system.

This project has a Federal nexus because it is for the purposes authorized in 7 U.S. Code section 2250.

I certify that I have no financial interest in this project, and neither does anyone in my immediate family.

Sincerely,

  
Emilia Strong Sykes  
Member of Congress